

Catifa 46

design Lievore Altherr Molina 2004



Catifa 46

fusto a trespolo su ruote

Catifa 46

design Lievore Altherr Molina 2004

CATIFA 46 (Lievore, Altherr, Molina) 2004

A new, more compact interpretation of the Catifa design that will fit into any setting: from homes to offices and contract environments. Stool version also available.

The Catifa 46 collection offers a wide choice of materials and colours. Shell in curved plywood, mono- or bi-colour polypropylene. The shell can be upholstered in leather, "faux" leather or fabric, customer's own fabric or covered in hide. The base is available with sled base or in a number of 4-leg or trestle options. Catifa 46 also comes in a stool version in a range of seat and back heights.

In March 2008, the mono- and bi-colour polypropylene versions of Catifa 46 with four legs and trestle attained an [Environmental Product Declaration](#).

The Catifa 46 collection is [GREENGUARD](#) certified.



Materials

Steel frame base



Cromato
CRO

Polypropylene one colour
Polypropylene two colours
Wood
Hard leather grade 2
Hard leather grade 1
Faux leather
Soft leather
Soft leather Elmosoft
Removibile
Fabric A - Orange 2
Fabric B - Flora 2
Fabric B - Pro 2
Fabric C - Divina 3
Fabric C - Divina Melange 2
Fabric C - Sinclair
Fabric C - Tonus 3
Fabric C - Topas 2
Fabric C - Hallingdal
Fabric D - Glove 2

Items



Accessories




Cushion Art. 0261

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors and shell in single-colour polypropylene, bi-colour polypropylene or covered with hard leather.



ACCESSORIES

Cushion Art. 0261

COVERING		ART. 0273 FIXED PEDESTAL BASE	
POLYPROPYLENE ONE COLOUR - PO			
POLYPROPYLENE TWO COLOURS - PO			
HARD LEATHER GRADE 2 - CT			
HARD LEATHER GRADE 1 - CU			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 23.59 / ft³ 8.86 4 pcs. = 2 boxes - lb 72.76 / ft³ 12.00  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: + 40 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	EN 1022/05

Steel frame base



Covering (see at page 312)

Polypropylene one colour



Polypropylene two colours



Hard leather grade 2




Hard leather grade 1



Chair on fixed pedestal base in chromed steel, mounted on castors and fitted with armrests. The shell is in single-colour polypropylene, bi-colour polypropylene or covered in hard leather.

ACCESSORIES

Cushion **Art. 0261**



COVERING		ART. 0274 FIXED PEDESTAL BASE	
POLYPROPYLENE ONE COLOUR - PO			
POLYPROPYLENE TWO COLOURS - PO			
HARD LEATHER GRADE 2 - CT			
HARD LEATHER GRADE 1 - CU			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - lb 28.84 / ft³ 9.89 4 pcs. = 3 boxes - lb 90.71 / ft³ 13.28  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: + 40 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	

Steel frame base



CRO

Covering (see at page 312)

Polypropylene one colour



9 Types

Polypropylene two colours



9 Types

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors. The shell is in polypropylene, upholstered in leather, faux leather, fabric or customer's fabric.



COVERING			ART. 0275 FIXED PEDESTAL BASE	
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP				
SOFT LEATHER - PF				
SOFT LEATHER ELMOSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 26.46 / ft³ 9.639 4 pcs. = 2 boxes - lb 85.99 / ft³ 13.98  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	EN 1022/05

Steel frame base



CRO

Covering (see at page 312)

- Fabric

AOrange 2

BFlora 2Pro 2

C

Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal


DGlove 2
- Faux leather

EP8 Types
- Soft leather

PF13 Types
- Soft leather Elmosoft

ES42 Types

Chair on fixed pedestal base in chromed steel, mounted on castors and fitted with armrests. The shell is in polypropylene, upholstered in leather, faux leather, fabric or customer's fabric.



COVERING		ART. 0276 FIXED PEDESTAL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - lb 31.70 / ft ³ 10.66 4 pcs. = 3 boxes - lb 103.9 / ft ³ 15.25 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Steel frame base



CRO

Covering (see at page 312)

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft




42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors. The shell is in wood in three colour finishes (natural oak, bleached oak, wengé).



ACCESSORIES

Cushion **Art. 0261**

COVERING		ART. 0284 FIXED PEDESTAL BASE	
WOOD - L			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 22.44 / ft³8.792 4 pcs. = 2 boxes - lb 68.13 / ft³12.42  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	

Steel frame base 
CRO


Covering (see at page 312)

Wood 
L
3 Types

Chair on fixed pedestal base in chromed steel, mounted on castors and fitted with armrests. The shell is in wood in three colour finishes (natural oak, bleached oak, wengé).

ACCESSORIES

Cushion **Art. 0261**



COVERING		ART. 0285 FIXED PEDESTAL BASE	
WOOD - L			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - lb 27.69 / ft ³ 9.816 4 pcs. = 3 boxes - lb 86.08 / ft ³ 13.70 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	

Steel frame base



CRO

Covering (see at page 312)

Wood




3 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors. The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the surface of the seat.



COVERING		ART. 0462 FIXED PEDESTAL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 29.54 / ft³ 9.886 4 pcs. = 2 boxes - lb 89.17 / ft³ 14.26 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Steel frame base



CRO

Covering (see at page 312)

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours


Polypropylene one colour



9 Types



Chair on fixed pedestal base in chromed steel, mounted on castors and fitted with armrests. The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the surface of the seat.



COVERING		ART. 0463 FIXED PEDESTAL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - lb 34.79 / ft³ 10.91 4 pcs. = 3 boxes - lb 107 / ft³ 15.53  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Steel frame base



CRO

Covering (see at page 312)

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours

Polypropylene one colour



9 Types




Catifa 46

design Lievore Altherr Molina 2004



Materiali

Struttura in acciaio



Polipropilene monocolore
Polipropilene bicolore
Legno
Cuoietto
Cuoio
Ecopelle
Pelle
Pelle Elmosoft
Removibile
Tessuto A - Orange 2
Tessuto B - Flora 2
Tessuto B - Pro 2
Tessuto C - Divina 3
Tessuto C - Divina Melange 2
Tessuto C - Sinclair
Tessuto C - Tonus 3
Tessuto C - Topas 2
Tessuto C - Hallingdal
Tessuto D - Glove 2

Particolari



Accessori




Cuscino Art. 0261

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors.
The shell is in one colour polypropylene, two colours polypropylene, hard leather grade 1 and hard leather grade 2.



ACCESSORIES

Cushion **Art. 0261**

COVERING			ART. 0369 SHINY ALUMINIUM	ART. 0369 PAINTED
POLYPROPYLENE ONE COLOUR - PO			Q.D.	
POLYPROPYLENE TWO COLOURS - PO			Q.D.	
HARD LEATHER GRADE 2 - CT				
HARD LEATHER GRADE 1 - CU				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 22.49 / ft³ 8.86 4 pcs. = 2 boxes - lb 67.91 / ft³ 12 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: + 40 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3° EN 1022/05

Aluminium frame base



LU1



V12



V39



Only for LU1

Covering (see at page 312)

Polypropylene one colour



9 Types



Only PO: 101, 103, 106 and 109

Polypropylene two colours



9 Types



Only PO: 209, 205 and 207

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors and fitted with armrest. The shell is in one colour polypropylene, two colours polypropylene, hard leather grade 1 and hard leather grade 2.

ACCESSORIES

Cushion **Art. 0261**

COVERING		ART. 0390 SHINY ALUMINIUM	ART. 0390 PAINTED
POLYPROPYLENE ONE COLOUR - PO		Q.D.	
POLYPROPYLENE TWO COLOURS - PO		Q.D.	
HARD LEATHER GRADE 2 - CT			
HARD LEATHER GRADE 1 - CU			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 27.730 / ft³ 9.89 4 pcs. = 3 boxes - lb 85.860 / ft³ 13.28 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: + 40 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3°

Aluminium frame base

Frame
LU1
Castors
CROFrame
V12
Castors
V12Frame
V39
Castors
V39

Only for LU1

Covering (see at page 312)

Polypropylene one colour



9 Types



Only PO: 101, 103, 106 and 109

Polypropylene two colours



9 Types



Only PO: 209, 205 and 207

Hard leather grade 2




13 Types

Hard leather grade 1



4 Types

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors.
The shell is upholstered in leather, faux leather, fabric or customer's fabric.



COVERING		ART. 0376 SHINY ALUMINIUM	ART. 0376 PAINTED
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP		Q.D.	
SOFT LEATHER - PF		Q.D.	
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 25.35 / ft³ 9.64 4 pcs. = 2 boxes - lb 81.14 / ft³ 13.98 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3° EN 1022/05

Aluminium frame base



Frame
LU1
Castors
CRO



Frame
V12
Castors
V12



Frame
V39
Castors
V39



Only for LU1

Covering (see at page 312)

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types



Only faux leather: EP008 and EP001

Soft leather



13 Types



Only soft leather: PF007 and PF006

Soft leather Elmosoft




42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors and fitted with armrest. The shell is upholstered in leather, faux leather, fabric or customer's fabric.



COVERING			ART. 0392 SHINY ALUMINIUM	ART. 0392 PAINTED
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP			Q.D.	
SOFT LEATHER - PF			Q.D.	
SOFT LEATHER ELMOSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 30.60 / ft 10.66 4 pcs. = 3 boxes - lb 99.09 / ft 15.25 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3°

Aluminium frame base

Frame
LU1
Castors
CROFrame
V12
Castors
V12Frame
V39
Castors
V39**Q.D.**

Only for LU1

Covering (see at page 312)

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Q.D.

Only faux leather: EP008 and EP001

Soft leather



13 Types

Q.D.

Only soft leather: PF007 and PF006

Soft leather Elmosoft




42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors. The shell is in wood in three colour finishes (natural oak, bleached oak or wengé stained).




ACCESSORIES

Cushion **Art. 0261**

COVERING		ART. 0386 SHINY ALUMINIUM	ART. 0386 PAINTED
WOOD - L			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 21.34 / ft³ 8.79 4 pcs. = 2 boxes - lb 63.28 / ft³ 12.43  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	

Aluminium frame base




Covering (see at page 312)

Wood



design Lievore Altherr Molina 2004

Cushion **Art. 0261**

Aluminium frame base

	Frame LU1 Castors CRO		Frame V12 Castors V12		Frame V39 Castors V39
LU1		V12		V39	

Covering (see at page 312)


Wood



Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors.
The shell is in polypropylene with leather, faux leather, fabric or customer's fabric upholstery applied to the seat surface.



COVERING		ART. 0372 SHINY ALUMINIUM	ART. 0372 PAINTED
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			


SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 28.44 / ft³ 9.89 4 pcs. = 2 boxes - lb 84.31 / ft³ 14.26 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



Covering (see at page 312)

Fabric



Faux leather



Soft leather



Soft leather Elmosoft



Shell colours


Polypropylene one colour



Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors, and fitted with armrests. The shell is in polypropylene with leather, faux leather, fabric or customer's fabric upholstery applied to the seat surface.



COVERING			ART. 0374 SHINY ALUMINIUM	ART. 0374 PAINTED
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP				
SOFT LEATHER - PF				
SOFT LEATHER ELMOSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*				
SHIPMENT DETAILS		TECHNICAL SPECIFICATIONS		FIRE RETARDANT TEST
1 pcs. = 3 boxes - lb 33.69 / ft³ 10.91 4 pcs. = 3 boxes - lb 102.26 / ft³ 15.44 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		* H 54.6 in. Meterage ml 1		UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.
SHIPMENT DETAILS		TECHNICAL SPECIFICATIONS		RESISTANCE TEST

Aluminium frame base



Covering (see at page 312)

Fabric



Faux leather



Soft leather



Soft leather Elmosoft



Shell colours

Polypropylene one colour



Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.


arper

FINISH


Polyethylene




Stem ABS




Babar cushion in polyurethane




Leaf cushion in polyurethane



Polypropylene one colour




Polypropylene two colours




Leaf



Dizzie Table




Wood



Hard leather grade 2



Hard leather grade 1



Faux leather




Soft leather




Elmosoft




Fabric A
Orange 2



Fabric B
Flora 2




Fabric **B**
Pro 2




Fabric C
Divina 3

Fabric C
Divina Melange 2



Fabric C
Sinclair



Fabric C
Tonus 3

Fabric C
Topas 2



Fabric C
Hallingdal

Fabric **D**
Glove 2



Standard contrast stitching



CT120
Ochre stitching



CT031
Dark grey stitching



CT040
Black stitching

Simple standard contrast zip



CT420
Brown zip

Simple standard matching zip



CT100
Brown zip

NEW FINISH

Grey-lacquered
steel



V41

Red Aluminium




V42

Laminate



LM1



LM2



LM3



LM4

Wood



L0020




L0021

NEW FABRIC


Cava 3




Field




Clara



Remix



Lazio 2




Scuba



Tempo



Steelcut Trio



Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.

Arper Spa si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso. Per maggiori informazioni visitate il sito www.arper.it

Arper Spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. For further information, please visit www.arper.it